



High Tech Global Group Co., Ltd. Jack Lighting Co., Ltd.

(中山市杰克灯饰有限公司)

NO.5, Liuqing Road, Gaosha, Dongsheng Town, Zhongshan, Guangdong, China.

Tel : 86-0760-22211959 Fax : 86-0760-22211929

Website : <http://jacklighting.en.alibaba.com>



<p><u>JK-822T</u></p>	<p><u>JK-822TU</u></p>	<p><u>JK-848</u> <u>Deluxe version</u></p>	<p><u>JK848-1</u></p>
<p><u>JK-848-2</u></p>	<p><u>JK-848N</u></p>	<p><u>JK-848N-1</u></p>	<p><u>JK-848N-2</u></p>
<p><u>JK-852T</u></p>	<p><u>JK-852TU</u> <u>with USB port</u></p>	<p><u>JK-852TR with</u> <u>rechargeable battery</u></p>	<p><u>JK-853</u></p>
		<p>360° </p>	<p>Clamp type to be more convenient </p>

[JK-853P](#)



[JK-853L1](#)



[JK-853L2](#)



[JK-853C](#)



[JK-853CL](#)



[JK860](#)



[JK860C](#)



[JK-861](#)



[JK-862](#)



[JK-864D](#)



[JK-864DT](#)



[JK-864DU](#)



[JK-864DTU](#)



[JK865](#)



[JK865-1](#)



[JK865-2](#)



[JK-866](#)

[JK-867-1](#)

[JK-867-2](#)

[JK-867-3](#)



[JK-868-1D](#)
[JK-868-1DT](#)



[JK-868-2](#)



[JK869](#)

Model Number : JK-822T Without USB Port



Product Feature
 Detail display



SPECIFICATION

1. INPUT: AC100V~240V; OUTPUT: DC5V, 2A
2. LED: 24pcs of SMD2835
3. Wattage: 4W
4. Lumen: 420Lm
5. Illumination: 1900Lux at 30cm;1200Lux at 40cm
6. Material: iron, aluminum, plastic
7. Colour: Apple Green, Chick Black, Red, Pure White
8. Switch type: Touch switch with 3 steps of dimmer function
9. Packaging content: 1pc×lamp, 1pc×USB cable, 1pc×user manual

PACKAGE SPECS

1. Neutral corrugated gift box and brown master carton
2. Color box size: 42*15*6cm
3. Master carton size: 65*47*34cm / 0.104CBM
4. Individual G.W.: 1.1KG/PC;
5. Master carton G.W.: 23KGS/CTN
6. Quantity/ctn: 20PCS
7. Container load: 5300pcs/20'; 11180pcs/40'

Model Number : JK-822TU With USB Port

Fresh Apple Green



Charming Rose Red



SPECIFICATION

1. INPUT: AC100V~240V; OUTPUT: DC5V, 2A
2. LED: 24pcs of SMD2835
3. Wattage: 4W
4. Lumen: 420Lm
5. Illumination: 1900Lux at 30cm;1200Lux at 40cm
6. Material: iron, aluminum, plastic
7. Colour: Apple Green, Chick Black, Red, Pure White
8. Switch type: Touch switch with 3 steps of dimmer function
9. Packaging content: 1pc×lamp, 1pc×USB cable, 1pc×user manual

PACKAGE SPECS

1. Neutral corrugated gift box and brown master carton
2. Color box size: 42*15*6cm
3. Master carton size: 65*47*34cm / 0.104CBM
4. Individual G.W.: 1.1KG/PC;
5. Master carton G.W.: 23KGS/CTN
6. Quantity/ctn: 20PCS
7. Container load: 5300pcs/20'; 11180pcs/40'

Model Number : JK-848 Deluxe version



SPECIFICATION

1. INPUT: AC100V~240V; OUTPUT: DC5V, 1A
 2. LED: 30pcs of SMD2835+ 6pcs of SMD5050 RGB
 3. Wattage: 5W
 4. Lumen: 400Lm
 5. Illumination: 800Lux at 30cm
 6. Material: Plastic ABS, PC
 7. Colour: pure white
 8. Switch type: Touch switch with 3 steps of dimmer function
 9. Packaging content: 1pc×lamp, 1pc×USB cable, 1pc×user manual
- With 200g iron weight stack to assure the lamp be more stable

PACKAGE SPECS

1. Neutral corrugated gift box and brown master carton
2. Color box size: 13.5*13.5*16cm
3. Master carton size: 57*57*34cm / 0.11CBM
4. Individual G.W.: 0.35KGS/PC



5. Master carton G.W.: 11.5KGS/CTN
6. Quantity/ctn: 32PCS
7. Container load: 7968pcs/20'; 16832pcs/40'



Model Number : JK848-1



SPECIFICATION

1. INPUT: AC100V~240V; OUTPUT: DC5V, 1A
2. LED: 24pcs of SMD2835+ 6pcs of SMD5050 RGB (mood light)
3. Wattage: 5W
4. Lumen: 420Lm
5. Illumination: Max 1600Lux tested under 20cm
6. Material: Plastic ABS, PC
7. Colour: pure white
8. Switch type: Touch switch with 3 steps of dimmer function
9. Packaging content: 1pc×lamp, 1pc×USB cable, 1pc×user manual

PACKAGE SPECS

1. Neutral corrugated gift box and brown master carton
2. Color box size: 13.5*13.5*16cm
3. Master carton size: 57*57*34cm / 0.11CBM
4. Individual G.W.: 0.35KGS/PC
5. Master carton G.W.: 11.5KGS/CTN
6. Quantity/ctn: 32PCS
7. Container load: 7968pcs/20'; 16832pcs/40'

Model Number : JK-848-2



SPECIFICATION

1. INPUT: AC100V~240V; OUTPUT: DC5V, 1A
 2. LED: 20pcs of SMD2835
 3. Wattage: 5W
 4. Lumen: 420Lm
 5. Illumination: Max 1600Lux tested under 20cm
 6. Material: Plastic ABS, PC
 7. Colour: pure white
 8. Switch type: Touch switch with 3 steps of dimmer function
 9. Packaging content: 1pc×lamp, 1pc×USB cable, 1pc×user manual
- With iron weight stack to assure the lamp be more stable

PACKAGE SPECS

1. Neutral corrugated gift box and brown master carton
2. Color box size: 13.5*13.5*16cm
3. Master carton size: 57*57*34cm / 0.11CBM
4. Individual G.W.: 0.35KGS/PC
5. Master carton G.W.: 11.5KGS/CTN
6. Quantity/ctn: 32PCS
7. Container load: 7968pcs/20'; 16832pcs/40'

Model Number : JK-848N without mood light



SPECIFICATION

1. INPUT: AC100V~240V; OUTPUT: DC5V, 1A
 2. LED: 30pcs of SMD2835
 3. Wattage: 5W
 4. Lumen: 300Lm
 5. Illumination: Max 800Lux at 30cm
 6. Material: Plastic ABS, PC
 7. Colour: pure white
 8. Switch type: Touch switch with 3 steps of dimmer function
 9. Packaging content: 1pc×lamp, 1pc×USB cable, 1pc×user manual
- With iron weight stack to assure the lamp be more stable

PACKAGE SPECS

1. Neutral corrugated gift box and brown master carton
2. Color box size: 13.5*13.5*16cm
3. Master carton size: 57*57*34cm / 0.11CBM
4. Individual G.W.: 0.35KGS/PC



5. Master carton G.W.: 11.5KGS/CTN
6. Quantity/ctn: 32PCS
7. Container load: 7968pcs/20'; 16832pcs/40'

Model Number : JK-848N-1 without mood light



SPECIFICATION

1. INPUT: AC100V~240V; OUTPUT: DC5V, 1A
 2. LED: 24pcs of SMD2835
 3. Wattage: 5W
 4. Lumen: 420Lm
 5. Illumination: Max 1600Lux tested under 20cm
 6. Material: Plastic ABS, PC
 7. Colour: pure white
 8. Switch type: Touch switch with 3 steps of dimmer function
 9. Packaging content: 1pc×lamp, 1pc×USB cable, 1pc×user manual
- With iron weight stack to assure the lamp be more stable

PACKAGE SPECS

1. Neutral corrugated gift box and brown master carton
2. Color box size: 13.5*13.5*16cm
3. Master carton size: 57*57*34cm / 0.11CBM
4. Individual G.W.: 0.35KGS/PC
5. Master carton G.W.: 11.5KGS/CTN
6. Quantity/ctn: 32PCS
7. Container load: 7968pcs/20'; 16832pcs/40'

Model Number : JK-848N-2 without mood light



SPECIFICATION

1. INPUT: AC100V~240V; OUTPUT: DC5V, 1A
 2. LED: 20pcs of SMD2835
 3. Wattage: 5W
 4. Lumen: 420Lm
 5. Illumination: Max 1600Lux tested under 20cm
 6. Material: Plastic ABS, PC
 7. Colour: pure white
 8. Switch type: Touch switch with 3 steps of dimmer function
 9. Packaging content: 1pc×lamp, 1pc×USB cable, 1pc×user manual
- With iron weight stack to assure the lamp be more stable

PACKAGE SPECS

1. Neutral corrugated gift box and brown master carton
2. Color box size: 13.5*13.5*16cm
3. Master carton size: 57*57*34cm / 0.11CBM
4. Individual G.W.: 0.35KGS/PC
5. Master carton G.W.: 11.5KGS/CTN
6. Quantity/ctn: 32PCS
7. Container load: 7968pcs/20'; 16832pcs/40'

Model Number : JK-852T / JK-852TU with USB port / JK-852TR with rechargeable battery



SPECIFICATION

1. INPUT: AC100V~240V; OUTPUT: DC5V, 2A
2. LED: 30PCS of SMD2835
3. Wattage: 6W
4. Lumen: 600Lm
5. Illumination: 1200Lux
6. Material: iron, plastic
7. Colour: silver, white, orange, green
8. Switch type: Touch switch with 3 steps of dimmer function
9. Packaging content: 1pc×lamp, 1pc×USB cable, 1pc×user manual

PACKAGE SPECS

1. Neutral corrugated gift box and brown master carton
2. Color box size: 16*16*28cm
3. Master carton size: 81*30*30cm, 0.104CBM
4. Individual G.W.: 0.85KGS/PC
5. Master carton G.W.: 9.5KGS/CTN



6. Quantity/ctn: 10PCS

7. Container load: 3780pcs/20'; 7960pcs/40'

Model Number : JK-853 / JK-853P / JK-853L1 / JK-853L2



SPECIFICATION

1. INPUT: AC100V~240V; OUTPUT: DC5V, 1A
2. LED: 14pcs of SMD2835
3. Wattage: 3W
4. Lumen: 240Lm
5. Illumination: 600Lux
6. Material: iron, plastic
7. Colour: Pure White
8. Switch type: Touch switch with 3 steps of dimmer function
9. Packaging content: 1pc×lamp, 1pc×USB cable, 1pc×user manual

PACKAGE SPECS

1. Neutral corrugated gift box and brown master carton
2. Color box size: 12.5*10*20.5cm
3. Master carton size: 54*44*45cm / 0.107CBM
4. Individual G.W.: 0.3KGS/PC



- 5. Master carton G.W.: 11KGS/PC
- 6. Quantity/ctn: 32PCS
- 7. Container load: 8356pcs/20'; 17376pcs/40'

Model Number : JK-853C / JK-853CL

Clamp type to be more convenient



SPECIFICATION

- 1. INPUT: AC100V~240V; OUTPUT: DC5V, 1A
- 2. LED: 14pcs of SMD2835
- 3. Wattage: 3W
- 4. Lumen: 240Lm
- 5. Illumination: 600Lux
- 6. Material: iron, plastic
- 7. Colour: Pure White
- 8. Switch type: Touch switch with 3 steps of dimmer function
- 9. Packaging content: 1pc×lamp, 1pc×USB cable, 1pc×user manual

PACKAGE SPECS

- 1. Neutral corrugated gift box and brown master carton
- 2. Color box size: 13.5*7*21.5cm
- 3. Master carton size: 60*44*45.5cm, 0.12CBM
- 4. Individual G.W.: 0.2KGS/PC
- 5. Master carton G.W.: 11.63KGS/PC
- 6. Quantity/ctn: 48PCS
- 7. Container load: 10992pcs/20'; 23184pcs/40'

Model Number : JK860



SPECIFICATION

1. INPUT: AC100V~240V; OUTPUT: DC5V, 1A
 2. LED: 20pcs of SMD2835
 3. Wattage: 5W
 4. Lumen: 420Lm
 5. Illumination: Max 1600Lux tested under 20cm
 6. Material: Plastic ABS, PC
 7. Colour: pure white
 8. Switch type: Touch switch with 3 steps of dimmer function
 9. Packaging content: 1pc×lamp, 1pc×USB cable, 1pc×user manual
- With iron weight stack to assure the lamp be more stable

PACKAGE SPECS

1. Neutral corrugated gift box and brown master carton
2. Color box size: 15*15*23
3. Master carton size: 43*44*52.5 , 0.099CBM
4. Individual G.W.: 0.46KGS/PC
5. Master carton G.W.: 13KGS/PC
6. Quantity/ctn: 32PCS
7. Container load: 6768pcs/20'; 13680pcs/40'

Model Number : JK860C



SPECIFICATION

1. INPUT: AC100V~240V; OUTPUT: DC5V, 1A
 2. LED: 20pcs of SMD2835
 3. Wattage: 5W
 4. Lumen: 420Lm
 5. Illumination: Max 1600Lux tested under 20cm
 6. Material: Plastic ABS, PC
 7. Colour: pure white
 8. Switch type: Touch switch with 3 steps of dimmer function
 9. Packaging content: 1pc×lamp, 1pc×USB cable, 1pc×user manual
- With iron weight stack to assure the lamp be more stable

PACKAGE SPECS

1. Neutral corrugated gift box and brown master carton
2. Color box size: 20.5*14.2*12.6
3. Master carton size: 43*44*52.5 , 0.099CBM
4. Individual G.W.: 0.6KGS/PC
5. Master carton G.W.: 15.2KGS/PC
6. Quantity/ctn: 24PCS
7. Container load: 6768pcs/20'; 13680pcs/40'

Model Number : JK-861



SPECIFICATION

1. INPUT: AC100V~240V; OUTPUT: DC5V, 1A
2. LED: 3W COB LED, 1PC
3. Wattage: 5W
4. Lumen: 240Lm
5. Illumination: 2000Lux (under 30cm)
6. Material: Aluminum
7. Colour: Cold Grey, Wine Red, Champagne, Violet, Grey Black
8. Switch type: ordinary ON/OFF switch
9. Packaging content: 1pc×lamp, 1pc×USB cable, 1pc×user manual

PACKAGE SPECS

1. Neutral corrugated white box and brown master carton
2. Color box size: 12*12*15
3. Master carton size: 58*25*60, 0.087CBM
4. Individual G.W.: 0.45KGS/PC
5. Master carton G.W.: 10KGS/PC
6. Quantity/ctn: 20PCS
7. Container load: 6340pcs/20'; 13340pcs/40'

Model Number : JK-862



SPECIFICATION

1. INPUT: AC100V~240V; OUTPUT: DC5V, 1A
2. LED: SMD2835, 15PCS + SMD5050 RGB, 6PCS
3. Wattage: 5W
4. Lumen: 240Lm
5. Illumination: 1600Lux (under 20cm)
6. Material: PC, ABS
7. Colour: Pure White, Cherry Pink, Light Green
8. Switch type: Touch switch
9. Packaging content: 1pc×lamp, 1pc×USB cable, 1pc×user manual

PACKAGE SPECS

1. Neutral corrugated gift box and brown master carton
2. Color box size: 19*19*26
3. Master carton size: 60*60*57, 0.205CBM
4. Individual G.W.: 0.8KGS/PC
5. Master carton G.W.: 17KGS/PC
6. Quantity/ctn: 18PCS
7. Container load: 2430pcs/20'; 5094pcs/40'

Model Number : JK-864D (only-dimmable) / JK-864DT (dimmable & Temperature color adjustable)



SPECIFICATION

1. INPUT: AC100V~240V; OUTPUT: DC12V, 1A
2. LED: SMD2835*48PCS
3. Wattage: 8W
4. Lumen: 560Lm
5. Illumination: 1000Lux (under 30cm)
6. Material: PC, ABS
7. Colour: White/Blue/Golden
8. Switch type: Touch switch Dimmable: 25steps
Temperature color adjustable: 3000-6000K (4 steps)
9. Packaging content: 1pc×lamp, 1pc×USB cable, 1pc×user manual

PACKAGE SPECS

1. Neutral corrugated gift box and brown master carton
2. Color box size: 45*21*9



3. Master carton size: 64*44*45
4. Individual G.W.: 1.05KGS/PC
5. Master carton G.W.: 17KGS/PC
6. Quantity/ctn: 15PCS
7. Container load: 3300pcs/20'; 6120pcs/40'

Model Number : JK-864DU (only-dimmable) USB PORT / JK-864DTU (dimmable & Temperature color adjustable) USB PORT



SPECIFICATION

1. INPUT: AC100V~240V; OUTPUT: DC12V, 1A
2. LED: SMD2835*48PCS
3. Wattage: 8W(WITH USB PORT)
4. Lumen: 560Lm
5. Illumination: 1000Lux (under 30cm)
6. Material: PC, ABS
7. Colour: White/Blue/Golden
8. Switch type: Touch switch Dimmable: 25steps
Temperature color adjustable: 3000-6000K (4 steps)
9. Packaging content: 1pc×lamp, 1pc×USB cable, 1pc×user manual

PACKAGE SPECS

1. Neutral corrugated gift box and brown master carton
2. Color box size: 45*21*9
3. Master carton size: 64*44*45
4. Individual G.W.: 1.05KGS/PC
5. Master carton G.W.: 17KGS/PC
6. Quantity/ctn: 15PCS
7. Container load: 3300pcs/20'; 6120pcs/40'



Model Number : JK865



SPECIFICATION

1. INPUT: AC100V~240V; OUTPUT: DC5V, 1A
2. LED: SMD2835, 24PCS
3. Wattage: 5W
4. Lumen: 420Lm
5. Illumination: Max 1600Lux tested under 20cm
6. Material: iron, plastic, PC
7. Colour: Pure White
8. Switch type: Touch switch with 3 steps of dimming function
9. Packaging content: 1pcxlamp, 1pcxUSB cable, 1pcxuser manual

PACKAGE SPECS

1. Neutral corrugated gift box and brown master carton
2. Color box size: 20.5*14.2*12.6
3. Master carton size: 43*44*52.5 , 0.099CBM
4. Individual G.W.: 0.6KGS/PC
5. Master carton G.W.: 15.2KGS/PC
6. Quantity/ctn: 24PCS
7. Container load: 6768pcs/20'; 13680pcs/40'

Model Number : JK865-1



SPECIFICATION

1. INPUT: AC100V~240V; OUTPUT: DC5V, 1A
 2. LED: 30pcs of SMD2835
 3. Wattage: 5W
 4. Lumen: 300Lm
 5. Illumination: Max 800Lux at 30cm
 6. Material: Plastic ABS, PC
 7. Colour: pure white
 8. Switch type: Touch switch with 3 steps of dimmer function
 9. Packaging content: 1pcxlamp, 1pcxUSB cable, 1pcxuser manual
- With iron weight stack to assure the lamp be more stable

PACKAGE SPECS

1. Neutral corrugated gift box and brown master carton
2. Color box size: 20.5*14.2*12.6
3. Master carton size: 43*44*52.5 , 0.099CBM
4. Individual G.W.: 0.6KGS/PC
5. Master carton G.W.: 15.2KGS/PC
6. Quantity/ctn: 24PCS
7. Container load: 6768pcs/20'; 13680pcs/40'

Model Number : JK865-2



SPECIFICATION

1. INPUT: AC100V~240V; OUTPUT: DC5V, 1A
 2. LED: 20pcs of SMD2835
 3. Wattage: 5W
 4. Lumen: 420Lm
 5. Illumination: Max 1600Lux tested under 20cm
 6. Material: Plastic ABS, PC
 7. Colour: pure white
 8. Switch type: Touch switch with 3 steps of dimmer function
 9. Packaging content: 1pc×lamp, 1pc×USB cable, 1pc×user manual
- With iron weight stack to assure the lamp be more stable

PACKAGE SPECS

1. Neutral corrugated gift box and brown master carton
2. Color box size: 20.5*14.2*12.6
3. Master carton size: 43*44*52.5 , 0.099CBM
4. Individual G.W.: 0.6KGS/PC
5. Master carton G.W.: 15.2KGS/PC
6. Quantity/ctn: 24PCS
7. Container load: 6768pcs/20'; 13680pcs/40'

Model Number : JK-866



SPECIFICATION

1. INPUT: AC100V~240V; OUTPUT: DC5V, 1A
2. LED: 24pcs of SMD2835
3. Wattage: 5W
4. Lumen: 360Lm
5. Illumination: 1200Lux under 20cm
6. Material: Plastic ABS, PC, iron
7. Colour: yellow, blue, green, white, pink
8. Switch type: Touch switch ON/OFF
9. Packaging content: 1pc×lamp, 1pc×USB cable, 1pc×user manual

PACKAGE SPECS

1. Neutral corrugated gift box and brown master carton
2. Color box size: 15.4*13.7*25.5cm
3. Master carton size: 58.5*49.5*28cm / 0.081CBM
4. Individual G.W.: 0.75KG/PC;
5. Master carton G.W.: 11KGS/CTN
6. Quantity/ctn: 12PCS
7. Container load: 4152pcs/20'; 8400pcs/40'



Model Number : JK-867-1



SPECIFICATION

1. INPUT: AC100V~240V; OUTPUT: DC5V, 1A
2. LED: 24pcs of SMD2835
3. Wattage: 5W
4. Lumen: 360Lm
5. Illumination: 1200Lux under 20cm
6. Material: Plastic ABS, PC, iron
7. Colour: white, balck, pink, blue
8. Switch type: Touch switch ON/OFF
9. Packaging content: 1pc×lamp, 1pc×USB cable, 1pc×user manual

PACKAGE SPECS

1. Neutral corrugated gift box and brown master carton
2. Color box size: 15.4*13.7*25.5cm
3. Master carton size: 58.5*49.5*28cm / 0.081CBM
4. Individual G.W.: 0.75KG/PC;
5. Master carton G.W.: 11KGS/CTN
6. Quantity/ctn: 12PCS
7. Container load: 4152pcs/20'; 8400pcs/40'



Model Number : JK-867-2



SPECIFICATION

1. INPUT: AC100V~240V; OUTPUT: DC5V, 1A
2. LED: 24pcs of SMD2835
3. Wattage: 5W
4. Lumen: 360Lm
5. Illumination: 1200Lux under 20cm
6. Material: Plastic ABS, PC, iron
7. Colour: pure white
8. Switch type: Touch switch ON/OFF
9. Packaging content: 1pc×lamp, 1pc×USB cable, 1pc×user manual

PACKAGE SPECS

1. Neutral corrugated gift box and brown master carton
2. Color box size: 18.0*16.0*24.2cm
3. Master carton size: 49.5*37*50.5cm / 0.093CBM
4. Individual G.W.: 0.75KGS/PC
5. Master carton G.W.: 11KGS/CTN
6. Quantity/ctn: 12PCS
7. Container load: 7968pcs/20'; 7320pcs/40'

Model Number : JK-867-3



SPECIFICATION

1. INPUT: AC100V~240V; OUTPUT: DC5V, 1A
2. LED: 24pcs of SMD2835
3. Wattage: 5W
4. Lumen: 360Lm
5. Illumination: 1200Lux under 20cm
6. Material: Plastic ABS, PC, iron
7. Colour: pure white, chic black
8. Switch type: Touch switch ON/OFF
9. Packaging content: 1pc×lamp, 1pc×USB cable, 1pc×user manual

PACKAGE SPECS

1. Neutral corrugated gift box and brown master carton
2. Color box size: 18.0*16.0*24.2cm
3. Master carton size: 49.5*37*50.5cm / 0.093CBM
4. Individual G.W.: 0.75KGS/PC
5. Master carton G.W.: 11KGS/CTN
6. Quantity/ctn: 12PCS
7. Container load: 7968pcs/20'; 7320pcs/40'

Model Number : JK-868-1D / JK-868-1DT



SPECIFICATION

1. INPUT: AC100V~240V; OUTPUT: DC12V, 1A
2. LED: 108PCS of SMD3014
3. Wattage: 6W
4. Lumen: 360Lm
5. Illumination: 1200Lux under 20cm
6. Material: ABS, Aluminum
7. Colour: White/Blue/Golden
8. Switch type: Touch switch ON/OFF with dimmer function
9. With 5V, 1A USB port
10. Adjustable color temperature is optional
11. Packaging content: 1pc×lamp, 1pc×USB cable, 1pc×user manual

PACKAGE SPECS

1. Neutral corrugated gift box and brown master carton
2. Color box size: 44.5*14.2*5.7cm
3. Master carton size: 46*37*30.5cm, 0.06CBM
4. Individual G.W.: 1.32KGS/PC
5. Master carton G.W.: 16.2KGS/CTN
6. Quantity/ctn: 12PCS
7. Container load: 5640pcs/20'; 11400pcs/40'

Model Number : JK-868-2



SPECIFICATION

1. INPUT: AC100V~240V; OUTPUT: DC5V, 1A
2. LED: 11pcs of SMD5730
3. Wattage: 5.5W
4. Lumen: 400Lm
5. Illumination: 1200Lux under 20cm
6. Material: ABS, Aluminum
7. Colour: Pure White
8. Switch type: Touch switch with 4 steps of dimmer function
9. Packaging content: 1pc×lamp, 1pc×USB cable, 1pc×user manual

PACKAGE SPECS

1. Neutral corrugated gift box and brown master carton
2. Color box size: 17*17*29cm
3. Master carton size: 36.5*36.5*57.5cm / 0.077CBM
4. Individual G.W.: 0.892KGS/PC
5. Master carton G.W.: 10.2KGS/PC
6. Quantity/ctn: 8PCS
7. Container load: 2928pcs/20'; 5936pcs/40'

Model Number : JK869



SPECIFICATION

1. INPUT: AC100V~240V; OUTPUT: DC5V, 1A
2. LED: 34pcs of SMD3528
3. Wattage: 5.5W
4. Lumen: 340Lm
5. Illumination: 500Lux under 30cm
6. Material: ABS+PS+Rubber
7. Colour: Pure White
8. Switch type: Touch switch with 4 steps of dimmer function
9. Packaging content: 1pc×lamp, 1pc×USB (DC Jack) cable, 1pc×user manual

PACKAGE SPECS

1. Color gift box and brown master carton
2. Color box size: 160*190*260MM
3. Master carton size: 49.5*41*54.5CM / 0.11CBM
4. Individual G.W.: 0.750KGS/PC
5. Master carton G.W.: 14.0KGS/PC
6. Quantity/ctn: 12PCS
7. Container load: 3264pcs/20'; 6528pcs/40'